

REMARKS

This is a full and timely response to the non-final Office Action (Paper No. 5) mailed by the U.S. Patent and Trademark Office on February 15, 2001. Claims 1-14 remain pending in the present application. In view of the following remarks, reconsideration and allowance of the present application and claims are respectfully requested.

Rejections Under 35 U.S.C. §102

Claims 1-14 stand rejected under 35 U.S.C. §102(e) as allegedly being anticipated by U.S. Patent No. 5,920,080 to Jones. A proper rejection of a claim under 35 U.S.C. §102 requires that a single prior art reference disclose each element of the claim. *See, e.g., W.L. Gore & Assoc., Inc. v. Garlock, Inc.*, 721 F.2d 1540, 220 U.S.P.Q. 303, 313 (Fed. Cir. 1983).

Anticipation requires that each and every element of the claimed invention be disclosed in a single prior art reference. *See e.g., In re Paulsen*, 30 F.3d 1475, 31 USPQ2d 1671 (Fed. Cir. 1994); *In re Spada*, 911 F.2d 705, 15 USPQ2d 1655 (Fed. Cir. 1990). Alternatively, anticipation requires that each and every element of the claimed invention be embodied in a single prior art device or practice. *See, e.g., Minnesota Min. & Mfg. Co. v. Johnson & Johnson Orthopaedics, Inc.*, 976 F.2d 1559, 24 USPQ2d 1321 (Fed. Cir. 1992). The test is the same for a process. Anticipation requires identity of the claimed process and a process of the prior art. The claimed process, including each step thereof, must have been described or embodied, either expressly or inherently, in a single reference. *See, e.g., Glaverbel S.A. v. Northlake Mkt'g & Supp., Inc.*, 45 F.3d 1550, 33 USPQ2d 1496 (Fed. Cir. 1995). Those elements must either be inherent or disclosed expressly. *See, e.g., Constant v. Advanced Micro-Devices, Inc.*, 848 F.2d 1560, 7 USPQ2d 1057 (Fed. Cir. 1988); *Verdegaal Bros., Inc. v. Union Oil Co.*, 814 F.2d 628, 2 USPQ2d 1051 (Fed. Cir.

1987). Those elements must also be arranged as in the claim. *See, e.g., Richardson v. Suzuki Motor Co.*, 868 F.2d 1226, 9 USPQ2d 1913 (Fed. Cir. 1989); *Carella v. Starlight Archery & Pro Line Co.*, 804 F.2d 135, 231 USPQ 644 (Fed. Cir. 1986). For anticipation, there must be no difference between the claimed invention and the reference disclosure, as viewed by a person of ordinary skill in the field of the invention. *See, e.g., Scripps Clinic & Res. Found. v. Genentech, Inc.*, 927 F.2d 1565, 18 USPQ2d 1001 (Fed. Cir. 1991).

Accordingly, the single prior art reference must properly disclose, teach or suggest each element of the claimed invention.

It is alleged in the Office Action that:

Regarding claim 1, Jones discloses an organic light emitting device (10 of Fig 4) comprising an electrode (251, 202 of Fig 3, lines 14-15 of column 9, lines 39-41 of column 8) a current self-limiting structure (253 and 203 of Fig 4, lines 43-44 of column 8, and 19-20 of column 9), and an organic stack (300 of Fig 5, lines 10-12 of column 9) between the electrode (251) and the current limiting structure (203, See Fig 4).

Regarding claim 2, Jones discloses that the current self-limiting structure (253 and 203 of Fig 4) resides in contact with the electrode (251 of Fig 3).

Regarding claim 3, Jones discloses that the current self-limiting structure (253 and 203 of Fig 4) applied as a patterned lattice structure over the electrode (lines 21-22 of column 7, see Fig 8).

Regarding claim 4, Jones discloses that the current self-limiting structure (203) is applied as a grid defining windows in which the electrode (202 of Fig 4) is applied.

Regarding claim 5, though Jones does not specifically mention that the current self-limiting structure (253 and 203 of Fig 4) comprises an anisotropically conductive material, it is inherent since Jones used barium titanate as the current limiting component which is an anisotropically conductive material (see US 5414403).

Regarding claim 6, Jones discloses a photoresist material in contact with the electrode (202 of fig 4) and the current self-limiting structure (203 of Fig 4, see lines 51-54 of column 8).

It is further alleged in the Office Action that:

Regarding claim 7, Jones discloses that the current self-limiting structure (203 of Fig 4) resides between the electrode (202 of Fig 4) and a conducting layer (not shown in Fig, see lines 56-59 of column 8).

Regarding claim 8 Jones discloses that the conducting layer is embedded within the current self-limiting structure (203 of Fig 4, see lines 56-59 of column 8).

Regarding claim 9, Jones discloses that the conducting layer resides over the current self-limiting structure (lines 56059 of column 8).

Claim 10 recites essentially the same limitation of claim 1. Thus claim 10 is rejected as claim 1 (see rejection of claim 1). In this case, Jones does not explicitly specify that the organic light emitting has increased the reliability. But it is inherent since Jones uses current self-limiting component in the device.

Claim 11 recites essentially the same limitation of claim 2. Thus claim 11 is rejected as claim 2 (see rejection of claim 2).

Claim 12 recites essentially the same limitation of claim 3. Thus claim 12 is rejected as claim 3 (see rejection of claim 3).

Claim 13 recites essentially the same limitation of claim 4. Thus claim 13 is rejected as claim 4 (see rejection of claim 4).

Claim 14 recites essentially the same limitation of claim 5. Thus claim 14 is rejected as claim 5 (see rejection of claim 3).

Jones appears to disclose an organic light emitting device (OLED) structure that includes a substrate 100, a first conductor 200, a layer of organic material 300, a second conductor 250, a microcavity stack 400, and a top cover 500. (See column 6, lines 8-20). The microcavity stack 400 restricts light emissions in directions parallel to the planer substrate 100 and provides increased light emissions toward the viewer. The microcavity stack 400 minimizes the channeling of light in the organic material 300. The microcavity stack 400 also directs upward, light which has been emitted in a near Lambertian manner. The microcavity stack 400 reduces the activation of neighboring pixels, and increases contrast and color purity. The microcavity stack 400 is located over the organic material 300. (See column 6, lines 21-33).

In marked contrast to *Jones*, the present invention is an organic light emitting device having a current self-limiting structure disposed between an electrode and the organic stack. The purpose of the current self-limiting structure is to prevent current flow between the two electrodes of the device if a short occurs in the organic stack.

Applicants respectfully disagree with the statement in the Office Action that "*Jones* discloses an organic light emitting device comprising an electrode, a current self-limiting structure, and an organic stack between the electrode and the current self-limiting structure." Applicants respectfully submit that the mere mention in the Summary of the Invention section in *Jones* that "constructing a plurality of layers of dielectric material over the second conductor for restricting light emission in directions parallel to the planar substrate," fails to disclose, teach or suggest a current self-limiting structure as claimed in the present invention.

Jones mentions in the Background of the Invention section that "[e]dge shorting between the cathode and anode layers is another problem affecting most conventional OLED devices. Edge shorting reduces the illumination potential of the display. Edge shorting is the channeling of light within the organic layers. As a result of the channeling, light is not directed towards the viewer." However, nowhere does *Jones* disclose, teach or suggest that it would be desirable to have a structure between a conductor and the organic stack that limits the flow of current in the vicinity of an electrical short. Indeed, other than a brief mention of edge shorting in the Background of the Invention section and a brief mention of restricting light emission in directions parallel to the planar substrate in the Summary of the Invention section, nowhere does *Jones* disclose, teach or suggest the desirability, much less any structure or method, of limiting the flow of current in the vicinity of a short in an OLED device.

The Office Action states that *Jones* discloses "a current self-limiting structure (253 and 203 of Fig 4, lines 43-44 of column 8, and 19-20 of column 9)." Applicants respectfully submit that column 8, lines 43-44 of *Jones* merely discloses that a "sloped conductor pad 202 is surrounded by a transition layer 203 capable of injecting holes or electrons. The transition layer 203 may comprise barium titanate or other high dielectric constant materials." Applicants respectfully submit that nowhere is the transition layer 203 described as a current

self-limiting structure. Indeed, *Jones* teaches that the transition layer 203 should be capable of injecting holes or electrons, thereby improving current flow, not limiting it.

Further, column 9, lines 19-20 *Jones* teaches that “[i]n order to simplify fabrication, transition layers 253 and 203 are generally composed of identical materials.” Again, nowhere does *Jones* disclose, teach or suggest the desirability of limiting the current flow between conductors if a short occurs in the organic stack of an OLED.

Furthermore, nowhere is the transition layer 203 described as a current self-limiting structure as alleged in the Office Action.

With particular regard to the claims, independent claim 1 includes the feature of a “current self-limiting structure” and independent claim 10 includes the step of “incorporating a current self-limiting structure within said organic light emitting device.” Applicants respectfully submit that a “current self-limiting structure” is neither disclosed, taught, nor suggested by *Jones*. Further, Applicants respectfully submit that there is no teaching in the prior art to suggest that the transition layer 203 or the transition layer 253 exhibits any current limiting characteristics at all.

With respect to claim 2, Applicants respectfully disagree with the statement in the Office Action that “*Jones* discloses that the current self-limiting structure (253 of Fig 3) resides in contact with the electrode (251 of Fig 3).” As mentioned above, Applicants respectfully submit that, because *Jones* fails to disclose, teach or suggest a current self-limiting structure, it is impossible for *Jones* to disclose a current self-limiting structure residing in contact with an electrode.

With respect to claim 3, Applicants respectfully disagree with the statement in the Office Action that “*Jones* discloses that the current self-limiting structure (253 and 203 of Fig 4) applied as a patterned lattice structure over the electrode (lines 21-22 of column 7, see Fig 8).” Applicants submit that column 7 lines 21-22 merely disclose that “[t]he substrate 100

may underlie a plurality of different subpixels or cells 10.” Furthermore, Applicants respectfully submit that with respect to FIG. 8, *Jones* merely teaches that the planar substrate 100 may include a matrix 800. The matrix 800 includes matrix lines 801 or 802 which are capable of carrying current or voltage pulses of selected magnitude. (See column 8, lines 37-41). It appears that the configuration shown in FIG. 8 of *Jones* is merely a way of distributing current and voltage to the cells 10, and fails to disclose, teach or suggest applying a current self-limiting structure over an electrode in the form of a patterned lattice structure as recited in claim 3.

Similarly, with respect to claim 4, nowhere does *Jones* disclose, teach or suggest applying the current self-limiting structure as a grid defining windows in which an electrode is applied.

With respect to claim 5, Applicants respectfully disagree with the statement in the Office Action that “though *Jones* does not specifically mention that the current self-limiting structure (253 and 203 of Fig. 4) comprises an anisotropically conductive material, it is inherent since *Jones* used barium titanate as the current limiting component which is an anisotropically conductive material (see US 5414403).” Applicants respectfully submit that *Jones* fails to disclose, teach or suggest that the transition layers 203 and 253 are a current self-limiting structure, and instead discloses merely that the transition layers are high dielectric constant materials.

With respect to claim 6, Applicants respectfully submit that *Jones*, in column 8, lines 51-54 appears to disclose that the slope of the pad 202 (the conductor pad 202 that is surrounded by the transition layer 203) is achieved by undercutting the edges. The undercutting is achieved through resist or bilayer loss. Applicants respectfully submit that nowhere does *Jones* disclose, teach or suggest a photoresist material in contact with a current self-limiting structure and an electrode.

With respect to claim 7, Applicants respectfully disagree with the statement in the Office Action that "Jones discloses that the current self-limiting structure (203 of Fig 4) resides between the electrode (202 of Fig 4) and a conducting layer (not shown in Fig, see lines 56-59 of column 8)." As mentioned above, Applicants respectfully submit that, because *Jones* fails to disclose, teach or suggest a current self-limiting structure, it is impossible for *Jones* to disclose a current self-limiting structure between an electrode and a conducting layer.

With respect to claims 8 and 9, Applicants respectfully submit that *Jones* fails to disclose, teach or suggest a current self-limiting structure.

With respect to claims 11 and 14, Applicants respectfully submit that *Jones* fails to disclose, teach or suggest the current self-limiting structure.

Accordingly, Applicants respectfully submit that independent claims 1 and 10 are allowable in that they recite features and steps that are neither disclosed, taught nor suggested by *Jones*. Furthermore, Applicants respectfully submit that dependent claims 2-9 and 11-14 are allowable for at least the reason that they depend either directly or indirectly from allowable independent claims. *In re Fine*, 837 F.2d 1071, 5 U.S.P.Q.2d 1596, 1600 (Fed. Cir. 1988).


CONCLUSION

For at least the foregoing reasons, Applicants respectfully request that all outstanding rejections be withdrawn and that all pending claims of this application be allowed to issue. If the Examiner has any comments regarding Applicants' response or intends to dispose of this matter in a manner other than a notice of allowance, Applicants request that the Examiner telephone Applicants' undersigned attorney.

Respectfully submitted,

**THOMAS, KAYDEN, HORSTEMEYER &
RISLEY, L.L.P.**

By:



Michael J. Tempel
Registration No. 41,344

Suite 1750
100 Galleria Parkway
Atlanta, Georgia 30339
(770) 933-9500